

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. APPLICATION NO. FILING DATE CONFIRMATION NO. **David Silagy** 10/051,291 01/22/2002 ATOCM-244 4767 23599 **EXAMINER** 7590 10/15/2004 MILLEN, WHITE, ZELANO & BRANIGAN, P.C. ZACHARIA, RAMSEY E 2200 CLARENDON BLVD. **SUITE 1400 ART UNIT** PAPER NUMBER ARLINGTON, VA 22201 1773

DATE MAILED: 10/15/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

FE				(_
,		Application No.	Applicant(s)	7.	
		10/051,291	SILAGY ET AL.		
	Office Action Summary	Examiner	Art Unit		_
	Ramsey Zacharia	1773			
Period for	The MAILING DATE of this communication apports or Reply	pears on the cover sheet with the	correspondence addr	ess	_
THE - Extended afte - If the - If NO - Fails	MAILING DATE OF THIS COMMUNICATION. Ensions of time may be available under the provisions of 37 CFR 1.1 If SIX (6) MONTHS from the mailing date of this communication. The period for reply specified above is less than thirty (30) days, a replace period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	I36(a). In no event, however, may a reply be timely within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE.	mely filed ys will be considered timely. the mailing date of this comments FD (35 U.S.C. 8 133)	munication.	
Status					
1)🛛	Responsive to communication(s) filed on 23 J	ulv 2004.			
		action is non-final.	•		
3)[Since this application is in condition for allowa	nce except for formal matters, pro	osecution as to the m	nerits is	
,	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.		
Disposit	ion of Claims				
4)⊠	Claim(s) <u>1-11,13,15-28 and 35-53</u> is/are pendi	ing in the application			
4a) Of the above claim(s) <u>35 and 36</u> is/are withdrawn from consideration.					
5)⊠	5)⊠ Claim(s) <u>2,8,15-17,20-24,38,39,41,43,46,50 and 51</u> is/are allowed. 6)⊠ Claim(s) <u>1,3-7,9-11,13,18,19,27,28,37,40,42,44,45,47-49,52 and 53</u> is/are rejected.				
6)🖂					
7)🖂	Claim(s) 25 and 26 is/are objected to.				
8)	Claim(s) are subject to restriction and/o	r election requirement.			
Applicat	ion Papers				
9)	The specification is objected to by the Examine	er.			
	The drawing(s) filed on is/are: a) acc		Examiner		
	Applicant may not request that any objection to the				
	Replacement drawing sheet(s) including the correct		` '	1.121(d).	
11)	The oath or declaration is objected to by the Ex			• •	
Priority ι	ınder 35 U.S.C. § 119				
12)	Acknowledgment is made of a claim for foreign	priority under 35 H.S.C. & 119(a)	L(d) or (f)		
		priority under 00 0.0.0. § 115(a)	-(a) or (i).		
,	1. Certified copies of the priority documents have been received.				
	2. Certified copies of the priority documents		on No		
	3. Copies of the certified copies of the prior	•	· · · · · · · · · · · · · · · · · · ·	age	
	application from the International Bureau	ı (PCT Rule 17.2(a)).			
* 5	See the attached detailed Office action for a list	of the certified copies not receive	d.		
Attachmen	t(s)				
	e of References Cited (PTO-892)	4) Interview Summary	(PTO-413)	·	
	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	nte		
	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	5) Notice of Informal P	atent Application (PTO-15	02)	

Art Unit: 1773

DETAILED ACTION

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Election/Restrictions

2. Claims 35 and 36 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention, there being no allowable generic or linking claim.

Applicant timely traversed the restriction (election) requirement in the reply filed on 29 July 2003.

Claim Objections

- 3. Claim 25 is objected to because of the following informalities: the term "laser" on line 5 of the claim should be --layer--. Appropriate correction is required.
- 4. Claim 42 is objected to because of the following informalities: the term "A1112" on line 11 of the claim should be --A112--. Appropriate correction is required.

Claim Rejections - 35 USC § 112

5. Claims 42, 48, 49, 52, and 53 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 1773

6. Claim 42 is rendered indefinite because it is unclear if the "at least 50%" on lines 10-11 is a weight percentage, volume percentage, mole percentage, etc.

7. Claim 48 and 49 are rendered indefinite because they refer to the "thermoforming layer" of claims 4 and 1, respectively. However, claims 4 and 1 are directed to thermoforming multilayer films and not thermoforming layers.

Additionally, claim 49 is rendered indefinite because the claim implies that only one of layers (A1) and (B1) are present, however, claim 1 allows both layers (A1) and (B1) to be present.

- 8. Claim 52 is rendered indefinite because it refers to the "process according to claim 1" but claim 1 is directed to a thermoforming multilayer film and not a process. Moreover, the meaning of the phrase "wherein said polyolefin wherein the functionalized polyolefin (B3) is either functionalized in either functionalized polyethylene or functionalized polypropylene" is unclear.
- 9. Claim 53 is rendered indefinite because it refers to the "process according to claim 2" but claim 2 is directed to a thermoforming multilayer film and not a process. Moreover, the meaning of the phrase "wherein said polyolefin wherein the functionalized polyolefin (B3) is either functionalized in either functionalized polyethylene or functionalized polypropylene" is unclear.

Claim Rejections - 35 USC § 103

10. Claims 1, 3, 5-7, 9-11, 13, 18, 19, 28, 37, 44, and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roeber et al. (U.S. Patent 5,858,492).

Roeber et al. teach a composite material comprising: (I) a layer of polyvinylidene fluoride, (II) a layer comprising a polyamide, (III) a layer of a coupling agent having reactive

Art Unit: 1773

groups, and (IV) a layer comprising a polyolefin (column 2, lines 1-13). Layer (II) corresponds to instant layer (B2), and layer (III) corresponds to instant layer (B3). In addition to the polyvinylidene fluoride, layer (I) can also contain polymers based on polyvinylidene fluoride (column 2, lines 23-25). Suitable polyamides include 6-polyamide, 12-polyamide, and 6,6-polyamide (column 2, lines 30-42). The polyamides also preferably contain amino end groups (column 5, lines 22-28). Suitable coupling agents include a maleic anhydride modified polyethylene, a maleic anhydride modified copolymer of ethylene and propylene (i.e. a polypropylene grafted with the anhydride) (column 8, line 53-column 9, line 8). The coupling agent material may also contain impact-modifying rubbers, such as EPM or EPDM (column 5, lines 4-6). The composite may be formed by coextrusion or pressing, i.e. lamination of preformed films (column 1, lines 58-59). The composite may also contain customary additives (column 5, lines 34-40). In the embodiments of Examples 6-8, layer (I) has a thickness of 100-200 µm, layer (III) has a thickness of 100 µm, and layer (IV) has a thickness of 600-700 µm (Table 3).

The (IV) layer is a polyolefin, such as polypropylene (column 4, lines 61-62). This layer reads on the polyolefin layer (B4) of claim 9 and 13. Furthermore, since layer (B4) is an optional layer, it also reads on the limitations of claims 10, 11, 33, and 34 with the (IV) layer acting as the substrate.

Regarding claim 28, the composite, since it is formed by co-extruding pressing preformed layers together at an elevated temperature (see column 9, lines 20-37), will intrinsically be anisotropic as a result of the internal stresses imposed on the material by the manufacturing process.

Art Unit: 1773

Regarding claim 37, Roeber et al. discloses an embodiment where additional layers are disposed on layer (IV) opposite layers (I), (II), and (III) (see arrangement No. 3 in Table 1). These addition layers read on the substrate of instant claim 37.

Regarding claim 44, the limitations of this claim are taken directed to the process by which the polyamide is formed and not the polyamide itself. The polyamide itself is still a polyamide with amine end groups, a polyamide that is taught by Roeber et al. Since the determination of patentability for a product claim is based on the product itself and not on the method of production, Roeber et al. meets the limitations of claim 44 unless the applicants can conclusively demonstrate that the polyamide of claim 44 differs in kind from that of Roeber et al. See MPEP § 2113.

Roeber et al. do not teach the presence of an ink layer on the outside of their composite.

However, since the composite is designed for storing or transporting fuels, fluids, water, etc. (column 7, lines 21-34), it would be obvious to one skilled in the art to print on the external surface of the composite as a means of indicating the contents of the tank, supply line, etc. This printed layer reads on layer (A2) while the layer of polyvinylidene fluoride (I) reads on layer (B1).

11. Claims 4, 27, 40, and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roeber et al. (U.S. Patent 5,858,492) in view of Koblitz et al. (U.S. Patent 3,253,060).

Roeber et al. teach all the limitations of claims 4, 40, and 48, as outlined above, except for the use of a blend of a fluoropolymer and an alkyl (meth)acrylate polymer in place of the polyvinylidene fluoride.

Art Unit: 1773

Koblitz et al. teach that the molding properties of polyvinylidene fluoride are improved by blending a minor amount of a polymethylmethacrylate resin with the polyvinylidene fluoride (column 1, line 6-column 2, line 42). The blend has a lower melt viscosity that permits a marked decrease in the molding temperature. The polymethylmethacrylate resin may be a homopolymer of methyl methacrylate or a copolymer of methyl methacrylate and an acid functional comonomer such as methacrylic acid (column 2, line 60-column 3, line 17).

One of ordinary skill in the art would be motivated to blend polymethylmethacrylate with the polyvinylidene fluoride of Roeber et al. to improve the molding properties and lower the molding temperature, thus reducing energy costs associated with production of the composite.

12. Claims 45 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roeber et al. (U.S. Patent 5,858,492) in view of Fukushi et al. (U.S. Patent 5,658,670).

Roeber et al. teach all the limitations of claims 45 and 47, as outlined above, except for the use of a polyamide in which all the end groups are amines.

Fukushi et al. teach a method for improving the adhesion between a layer comprising a fluoropolymer, such as polyvinylidene fluoride, and a layer comprising a non-fluorinated polymer, such as polyamide (column 1, lines 13-19). The method comprises mixing a di- or polyamine into the non-fluorinated polymer layer prior to bringing the two layers together (column 2, lines 40-65).

One of ordinary skill in the art would be motivated to add a di- or polyamine to the polyamide layer (II) of Roeber et al. to improve the adhesion of this layer to polyvinylidene fluoride layer (I).

Art Unit: 1773

Polyamides are formed through the condensation reaction of amino-acids or diacids and diamines. In either case, the end groups of polyamides are either unreacted amine groups or unreacted acid groups. A di- or polyamine mixed into a polyamide will be expected to react with any unreacted acid groups. Therefore, the resulting polyamide will have amine end groups either from the end groups of the original reactants or as a result of one amine in the di- or polyamine reacting with the unreacted acid groups.

13. Claims 4, 40, 42, and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Roeber et al. (U.S. Patent 5,858,492) in view of Grunewalder et al. (U.S. Patent 5,332,899).

Roeber et al. teach all the limitations of claims 4, 40, and 48, as outlined above, except for the use of a blend of a fluoropolymer and an alkyl (meth)acrylate polymer in place of the polyvinylidene fluoride.

Grunewalder et al. teach that the adhesion of fluoropolymers to thermoplastic substrates is improved by blending acrylic polymers with the fluoropolymers (abstract). The blend comprises as much as 50% of a first acrylic polymer whose major constituent is methyl methacrylate (column 1, lines 64-67). The preferred fluoropolymer is polyvinylidene fluoride (column 3, lines 9-11).

One of ordinary skill in the art would be motivated to blend polymethylmethacrylate with the polyvinylidene fluoride layer of Roeber et al. to improve the adhesion of the layer to the rest of the laminate.

Art Unit: 1773

Response to Arguments

14. Applicant's arguments filed 23 July 2004 have been fully considered but they are not persuasive.

Regarding the addition of an ink layer, the applicants note that Roeber et al. disclose that certain prior art composites have unsatisfactory paintability. The applicants argue that it would be expected that if Roeber et al. felt their composite would have improved paintability, this improvement would have been disclosed in the patent.

This is not persuasive for the following reasons. Roeber et al. note that prior art composites of polyamides and polyolefins bonded with coupling agents such as BYNEL® and ADMER® have unsatisfactory paintability (column 1, lines 43-48). That is, Roeber et al. disclose that composites having outer layers of polyamides or polyolefins have unsatisfactory paintability. This is in contract to the composite taught by Roeber et al. in which a polyvinylidene fluoride containing layer is disposed over the polyamide layer. Thus, one skilled in the art would not expect composites having an outer layer other than polyamide or polyolefin to suffer from the same paintability problems as those prior art composites referred to by Roeber et al.

Claims 4, 27, 40, and 42 have been address with a new grounds of rejection necessitated by the applicants' amendment.

Allowable Subject Matter

15. Claims 2, 8, 15-17, 20-24, 38, 39, 41, 43, 46, 50, and 51 are allowed.

Art Unit: 1773

16. Claims 25 and 26 would be allowable if rewritten or amended to overcome the objection set forth in this Office action.

- 17. Claims 49 and 53 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.
- 18. The statement of reasons for indicating allowable subject matter in independent claims 2, 43, and 46 was presented in the Office action mailed 26 April 2004.
- 19. The following is a statement of reasons for the indication of allowable subject matter for independent claims 8, 25, and 41 and dependent claim 49.

Claim 8 requires the functionalized polyolefin layer (B3) to comprise a blend of at least 50 wt% of a propylene homopolymer or copolymer and not more than 50 wt% of an ethylene homopolymer or copolymer wherein the blend is grafted with an unsaturated carboxylic anhydride.

Roeber et al. represent the closest prior art. However, Roeber et al. do not teach or fairly suggest a composite in which layer III comprises an unsaturated carboxylic anhydride grafted blend of at least 50 wt% of a propylene homopolymer or copolymer and not more than 50 wt% of an ethylene homopolymer or copolymer.

Claims 25 and 49 require the ink layer to be present under another layer such that the ink layer is not the outermost layer.

Roeber et al. represent the closest prior art. However, Roeber et al. do not teach or fairly suggest an ink layer that is not the outermost layer.

Art Unit: 1773

Claim 41 requires the (B3) layer to be in direct contact with the (B2) layer. Furthermore, the claim requires that the (B2) layer consist of polyamide(s) having amine end groups optionally blended with one or more of polyolefins, inorganic fillers, UV absorbers, pigments, and colorants.

Roeber et al. represent the closest prior art. However, Roeber et al. do not teach or fairly suggest a polyamide containing layer as required by instant claim 41. Rather, Roeber et al. requires the presence of a polyglutarimide in their polyamide containing layer. A polyglutarimide is not a polyolefin, inorganic filler, UV absorber, pigment, or colorant.

Conclusion

20. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1773

21. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramsey Zacharia whose telephone number is (571) 272-1518. The examiner can normally be reached on Monday through Friday from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Deborah Jones, can be reached on (571) 272-1535. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ramsey Zacharia
Primary Examiner
Tech Center 1700